
ASSEMBLY, MAINTENANCE, & USER MANUAL

MODEL #SWTCS15 / SWTCS015





WARNING

Read all precautions and instructions in this manual before using this equipment. Save this manual for future reference. **Maximum user weight 250 lbs.** TRAMPOLINES
Skywalker Holdings LLC

P.O. Box 574, Brigham City, UT 84302

TABLE OF CONTENTS

Part List	3
Part Identification	4-6
Exploded Drawing	7
Assembly	8-20
Maintenance and Care Information	2 ⁻
Instructions for Use	22
Warning Label Placement	23
Instructions and Model Lessons	24-25
Trampoline Safety Information	26
Enclosure Safety Information	27
Methods of Accident Prevention	28
Limited Warranty	29



STOP EVERYTHING YOU'RE DOING AND REGISTER YOUR TRAMPOLINE

Find our warranty registration online by typing in: www.skywalkertrampolines.com/registration/

You'll need to have the following information handy:

- Name
- Address
- Phone number
- Date of purchase
- Email address
- Trampoline model number
- Trampoline serial number
- Retailer the trampoline was purchased from

HEY WE'VE GOT SOMETHING REALLY IMPORTANT TO SAY

And that is... check us out online! We've got **assembly videos** (for those of you who prefer movies over books), **FAQs** (so you know you're not the only one who messed up), fascinating **blog posts** (did you know jumping burns more calories than running?), and most importantly... find us on social media! Because we want to be your friend. **We'd love to hear from you, friend**.

Website: skywalkertrampolines.com

Facebook: facebook.com/skywalkertrampolines

YouTube: youtube.com/c/SkywalkerTrampolines

Pinterest: pinterest.com/swtrampolines **Twitter:** twitter.com/swtrampolines

Instagram: instagram.com/skywalker trampolines



IMPORTANT

Trampolines and enclosures are susceptible to winds. Be sure to secure your trampoline and enclosure. Wind damage is not covered in the warranty of your trampoline.



WARNING

CHOKING HAZARD- Small parts not for children under 3 years.



WARNING

Adult assembly required.

PART LIST

Key No.	Qty.	Description	Key No.	Qty.	Description
1	4	Corner Tube	17	20	Foam
2	8	Straight Tube	18	12	Strap with D-rings
3	4	Curved Tube	19	26	Self-tapping Screw (2 spare parts)
4	8	Sockets	20	16	M10x88mm Bolt
5	4	Male Leg	21	16	M10 Washer
6	4	Female Leg	22	16	M10 Nut
7	8	Leg Post	23	20	M6x70mm Bolt
8	1	Jump Mat	24	40	M6 Washer
9	1	Enclosure Net	25	20	M6 Nut
10	80	Large Springs	26	16	Bolt End Cap
11	16	Small Springs	27	8	End cap
12	2	Frame Pad (2 Pieces)	28	1	Spring Tool
13	4	Top Tube	29	2	Wrench
14	8	Top Corner Tube	#	1	User Manual & Safety Placard
15	8	Upper Tube	#	1	Set of ASTM Frame Labels
16	8	Lower Tube			

ORDERING REPLACEMENT PARTS

We get it... sometimes things happen. But the fun shouldn't stop just because you need a new bolt or screw! To order replacement parts, check out our website at: www.skywalkertrampolines.com or call our toll-free Customer Care Hot-line at 1-866-603-Jump (5867), Monday - Friday, 8 a.m. until 3 p.m. Mountain Time (excluding holidays).

Our customer service team will ask you a few questions in order to get the replacement part sent out as soon as possible. We're not trying to complicate your life, we promise.

When calling, make sure to have the following information ready:


- The model # of the product (see the front cover of this manual)
- The key # and description of the part (see the part list above)
- The quantity needed (only you know the answer to that one!)


BEFORE YOU BEGIN


Thanks for choosing Skywalker Trampolines! We're just as excited as you are to help your family live an active (but most importantly *FUN*) lifestyle. This model is one of our favorites, and we're confident you'll love it too. To make things easier for you, we've listed important information that you (and your little outdoor adventurers) need to know. Make sure you brush up on the warnings, instructions, assembly, maintenance, and use of your new product... because there will be a pop quiz at the end! (Okay, not *REALLY*, but if you're still reading this, props to you! You're awesome).


PART IDENTIFICATION


Before you begin, take a look at the drawings below to make sure you have all the parts! The numbers in the squares to the left (key numbers) will help you identify the parts during assembly.

































































PART IDENTIFICATION


Before you begin, take a look at the drawings below to make sure you have all the parts! The numbers in the squares to the left (key numbers) will help you identify the parts during assembly.












EXPLODED DRAWING



READ THIS BEFORE YOU BEGIN


- You'll probably need at least 2 adults and 2 hours to assemble your trampoline (of course, that depends on what model you have, and whether or not you're secretly a superhero).
- We've provided a Phillip's screw driver and two adjustable wrenches to help with assembly, but you're more than welcome to use your own tools. Many find that using a power drill and a rubber mallet makes things easier.
- Use gloves to protect your hands from pinch points during assembly. Plus, it's an up-and-coming fashion trend.
- The assembly steps refer to parts by their descriptions and key numbers (see the part list on page 3).
- The assembly steps are written in a specific order, and if you don't follow them exactly... you may end up having to start all over again. We promise we won't say, "I told you so" but really... we told you so.
- Most importantly... YOU'VE GOT THIS. YOU'RE THE BEST TRAMPOLINE ASSEMBLER AROUND. This may not be the easiest thing you've ever done... but it will be worth it. Trust us.

And if you're a visual learner, check out our assembly videos! You Tibe Visit: youtube.com/c/SkywalkerTrampolines





STEP 1

Register your trampoline! For info on warranty registration, see page 2.





Place two straight tubes (2), a corner tube (1), and two sockets (4) on the ground as shown. Make sure the spring holes of the straight tubes are facing the ground. Connect the straight tubes to the corner tubes. Repeat this step until you have completed all four sections.







Place the sockets onto the end of each tube and line up the holes. Secure using four M10x88mm bolts (20), four M10 washers (21), four M10 nuts (22). Then, place four bolt end caps (26) onto the bolt ends. Repeat this step until four corner segments are complete.







Insert two leg posts (7) into the sockets, and secure using two M6x70mm bolts (23), four M6 washers (24) and two M6 nuts (25). Repeat this step until all eight leg posts are assembled.







Insert one male leg (5) into one female leg (6), and secure with one M6x70mm bolt (23), two M6 washers (24), and one M6 nut (25). Repeat this step until you have made four U-shaped leg sections.







Insert one U-shaped leg piece into the leg posts of a corner frame section. Make sure the holes of the U-leg match the holes of the leg posts. You may need to try more than one U-leg to find a correct fit. Secure with two M6x70mm bolts (23), four M6 washers (24), and two M6 nuts (25). Repeat this step until four corner leg sections are assembled.






Grab a friend and flip the assembled corner leg sections over so they are now standing on the legs. (Do not skip this step! We're not underestimating your strength or anything, but if you connect before flipping, the entire frame will be too heavy to flip.) Now place a curved tube (3) (bend facing out) in between two corner leg sections and slide them together. Repeat on the other side. You will now have two square frame halves assembled.







Now, place two curved middle tubes (bend facing out) between the two frame halves.


Slide the two halves of the trampoline together to create a free standing frame.





The enclosure net **(9)** will be pre-installed to the jump mat **(8)** (just trying to help you out a bit!) Before continuing, make sure each V-ring of the jump mat is properly threaded through the corresponding hole in the enclosure net.







STEP 10


Place the jump mat on the ground inside the frame with the enclosure net on top.


Be sure to center the enclosure door on the middle of one side!






You may want to use gloves for this step! Using the spring tool (28), hook the smaller end of a large spring (10) into the corner square ring. Stretch the free end of the spring until it reaches the nearest frame hole. Repeat this step to place another spring into the same corner square ring and nearest frame hole. Note: The springs will be difficult to stretch. Ask a friendly neighbor (or stranger) to help!








Repeat step 11 to attach two more large springs to all of the remaining corners. You now should have eight springs attached, two in each corner. Next, attach two large springs to two V-rings on each side of the corner. Repeat this step on the three remaining corners. You now should have 24 large springs attached. Note: Be sure you are lining up the correct V-rings and frame holes!




STEP 13






Place **four small springs in the middle of one curved tube**. To make sure the V-rings and frame holes line up properly, count the number of frame holes starting from the corner and moving towards the middle curved tube. Then, count the V-rings starting from the same corner to the exact number of spring holes and place the springs. **Repeat this step** on each side to place a total of 16 additional springs.



STEP 14




10

Large Spring (x16)

Next, attach four additional large springs on each side of the frame by placing them on either side of the sockets.

You should now have attached 16 more large springs (four on each side).




STEP 15



Large Spring (x40)

Now, working in a **clockwise direction**, attach all of the **remaining large** springs. Make sure the V-rings and frame holes line up correctly.

(Remember, you're the boss here. You tell those springs what to do! And other people if they're helping...)




STEP 16



Frame Pad (x2 Pieces)


Lay the two halves of the frame pad (12) on the frame. Make sure to line the pad up with the frame so the slits sit over the sockets.


Then, connect the two pieces of padding together with the velcro.



STEP 17


Look under the trampoline. Find the straps that are attached to the underside of the frame pad (12). Position the strap with buckle so that the strap and buckle is on either side of the frame. Position the inner straps so that one strap is threaded through a V-ring. Now tie all of the inner straps in bows, and buckle the outer straps. Secure the corners of the frame pad to the frame by hooking the straps to the D-rings at each corner.






If you want, take a snack break because you're MORE THAN HALFWAY DONE, and you deserve it.


This next step is easy. Slide one piece of foam (17) onto one top tube (13).







Insert two top corner tubes (14) into the top tube with foam (13) and secure together using two self-tapping screws (19).


Repeat steps 18-19 three more times to complete four total top tube sections.






Insert two upper tubes (15) into the corner tubes, and secure using two self-tapping screws (19). Then, insert two lower tubes (16) into the upper tubes, and secure using two self-tapping screws. Make sure the two indented sides of the straight tubes are faced inside as shown. Do not tighten the screws all the way yet.







Next, slide four foam pieces (17) onto the tubes. If you're having trouble getting the foam over the tubes, try adding a small amount of water inside the foam!

Repeat steps 20-21 three more times to complete four total enclosure pole sections.






Insert a strap with D-rings (19) through the small belt sewn on the top edge of the net. Wrap the end of the strap under and around the foam covered tube and up through the two D-rings. Thread the end of the strap back down through the lower D-ring on the strap. Pull the loose end of the strap to remove any slack, but do not fully tighten the strap yet. Continue to attach the net to the other top tubes in this same manner.



STEP 23


Make sure the **indented sides** of the straight tubes are against the trampoline frame. **Using a couple people (because the poles are pretty heavy!)**, grab either side of an enclosure arch. Lift the poles at the same time and place the end of the lower tubes into the T-sockets. Push the poles all the way down into the sockets. **Repeat this step** to install the remaining three arches.



STEP 24

Use a ladder for this step! Now, fully tighten the straps on each of the arched enclosure poles.

Be careful not to pull too tight or you could rip the foam!









LAST STEP YOU'RE IN THE FINAL HOME STRETCH. Insert the end caps (27) into the bottom of the sockets.

Tie the included placard to a socket close to the enclosure door as shown.



STEP 26

Congratulations on completing your new trampoline! (See... we knew you could do it!) So here comes the real question... are you satisfied with this completed product? If you are, go ahead and write a review on the retailer's site you bought it from. We'd really appreciate it... and if we could, we'd give you a gold star. Are you completely frustrated and have some choice words for us? Contact us directly! We're not trying to ruin your life, we promise. And we'll do everything we can to make it right again. See contact info on page 2-3.



MAINTENANCE & CARE INFORMATION

Congratulations and **high five** on successfully assembling your new Skywalker Trampolines 15' Square Trampoline with Enclosure! Now, the best way to keep your new trampoline in tip top shape, is to periodically check for:

- Missing, improperly positioned, or insecurely attached frame padding, netting, enclosure tubes, or foam sleeves
- Punctures, frays, tears, or holes worn in the mat, frame padding, netting or foam sleeves
- Deterioration in the stitching or fabric of the mat, frame padding or netting
- Ruptured or missing springs
- Bent or broken frame, leg or enclosure tubes
- Sagging bed or netting
- Sharp protrusions on the frame, suspension system or enclosure tubes

If you notice any of the above conditions, please disassemble the trampoline and/or the enclosure net until new parts are ordered!

Moving the Trampoline and Enclosure

If the trampoline and enclosure needs to be moved, it should be moved by two persons, kept horizontal, and lifted slightly. If necessary, the trampoline and enclosure can be taken apart for moving. To take the trampoline apart, follow the assembly steps in reverse order. Do not attempt to take the frame sections, legs, or bases apart before the mat and springs have been removed.

Bon't forget to check us out online! We'd love to hear from you.

Website: skywalkertrampolines.com

Facebook: facebook.com/skywalkertrampolines

YouTube: youtube.com/channel/UCUty7EqwlGouK5ovzGpHGrw/feed

Pinterest: pinterest.com/swtrampolines **Twitter:** twitter.com/swtrampolines?lang=en

Instagram: instagram.com/skywalker trampolines/?hl=en

INSTRUCTIONS FOR USE


To reduce the risk of serious injury, read and follow all of the warnings, precautions, and instructions in this manual before you use the trampoline enclosure. Warnings and instructions for care, maintenance, and use of this trampoline and enclosure are included to promote safe enjoyable use of this equipment.

- It is the responsibility of the owner and supervisors of the trampoline and enclosure to make sure all users obey the safety instructions given in this manual. The trampoline should only be used with mature, knowledgeable supervision.
- 2. Secure the trampoline and trampoline enclosure against unauthorized and unsupervised use. If you use a ladder to get on and off the trampoline, be sure to remove it when the trampoline and enclosure are not being used.
- 3. Be sure there is enough clear space above the trampoline and enclosure before use. It is best to have at least 24 feet (7.3 meters) of clear space above the ground. This space must be clear of wires, tree limbs, and any other possible hazards.
- Lateral (sideways) clearance is very important. Do not place
 the trampoline and enclosure near walls, buildings, fences,
 sidewalks, and other play areas. Always keep a clear space on
 all sides of the trampoline and enclosure.
- Remove any objects that could interfere with the performer. Maintain a clear area around and under the trampoline.
- 6. Be sure the trampoline and enclosure are on a level surface before use.
- 7. Always inspect the trampoline and enclosure before each use. Make sure that the frame, padding, netting, enclosure tubes, and foam sleeves are correctly and securely positioned. Replace any worn, defective, or missing parts. (Jumpers may be hurt if the trampoline and enclosure are used when they are in poor condition.)
- 8. Bounce only when the surface of the mat (bed) is dry. There should be very little or no wind or air movement. The trampoline and enclosure must not be used in gusty or severe winds.
- 9. The trampoline and enclosure frames are made of metal. They are not grounded and will conduct electricity. For this reason, an electrocution hazard exists. No lights, electric heaters, extension cords, or household electrical appliances are to be permitted on the trampoline or in enclosure at any time.
- 10. Use the trampoline and enclosure in an area with lots of light. If the trampoline and enclosure are indoors or in shady areas, you may need to us artificial (electrical) lighting in the area.
- 11. During the winter months, the trampoline soft materials will need to be removed and stored in a dry place. If left up in the winter months, it may cause damage to the springs, jump mat, spring pad, and enclosure. The warranty will be void.
- This trampoline and enclosure is made for users who weigh less than 250 lbs.
- 13. Trampoline over 20 in. (51 cm) tall are not recommended for use by children under 6 years of age.
- 14. The trampoline enclosure is to be used only with the size of trampoline for which the enclosure is designed.
- 15. Misuse and abuse of the trampoline enclosure is dangerous and can cause serious injury.
- Do not attach anything to the enclosure barrier that is not a manufacturer-approved accessory or part of the enclosure system.

- 17. Please remove any jewelry before jumping begins. Jewelry may get caught in the enclosure netting.
- 18. Wear clothing free of drawstrings, hooks, loops, or anything that could be caught while using the trampoline/enclosure and result in entanglement, strangulation, or both.
- DO NOT let more than one person inside the trampoline enclosure at the same time. Two or more people jumping at the same time can cause serious injury.
- 20. DO NOT jump on the trampoline while you have or are holding any objects, especially something sharp or breakable.
- 21. DO NOT use the trampoline and enclosure if you have been using alcohol or drugs.
- 22. DO NOT attempt or allow somersaults (flips) on the trampoline. Landing on the head or neck can cause serious injury, paralysis, or death, even when landing in the middle of the jumping mat.
- 23. Always climb on to and off of the trampoline. It is a dangerous practice to jump from the trampoline to the floor or ground when dismounting, or to jump onto the trampoline when mounting.
- 24. DO NOT use the trampoline as a springboard to other objects. Enter and exit the enclosure only at the enclosure door or barrier made for that purpose.
- 25. DO NOT attempt to crawl under, jump over, intentionally bounce off of, hang from, climb on, kick, or cut the barrier netting.
- 26. While keeping head erect, focus eyes on the trampoline toward the perimeter. This will help control bounce.
- 27. Stop bouncing by flexing knees as feet come in contact with the trampoline bed. Learn this skill before attempting others.
- 28. Avoid bouncing too high. Stay low until bounce control and repeated landings in the center of the trampoline can be accomplished. Control is more important than height.
- 29. Avoid bouncing when tired. Keep turns short.
- 30. Learn fundamental bounces and body positions thoroughly before trying more advanced skills. A variety of trampoline activities can be carried out performing the basic fundamentals in various series and combinations, performing one fundamental after another, with feet bounces between them.
- 31. For additional information concerning the trampoline equipment contact the manufacturer. For information concerning skill training, contact a certified trampoline instructor.
- 32. Do not use or stand near the trampoline in windy or gusty conditions. A trampoline can become airborne when exposed to sustained wind or gusting wind conditions. This can result in serious injury, paralysis, or death, as well as property damage. To reduce these risks, disassemble the trampoline and enclosure and store them until weather conditions improve. Anchoring a trampoline frame may prevent the trampoline from moving as a result of the wind, but even anchored trampolines can become airborne or damaged. Consult a qualified contractor to determine what type of anchor works best in your location.

22

WARNING LABEL PLACEMENT



The placard shown above was sewn to the trampoline enclosure netting.

Note: The labels and placard shown are not actual size.

The labels shown on this page have been attached to the trampoline in the indicated locations. The safety instructions placard will need to be attached by the owner. If one of the labels or the placard is missing or illegible, call our Customer Care Hot Line toll-free at 1-866-603-JUMP (5867), Monday through Friday, 8 a.m. until 5 p.m. Mountain Time, to order a free replacement label or placard.


INSTRUCTIONS & MODEL LESSONS

The following lessons are examples of an instructional program. They should follow a complete discussion and demonstration of body mechanics between the supervision and the student(s).

- 1. Mounting and dismounting: Demonstration and practice of proper techniques.
- 2. Fundamental bounce: Demonstration and practice.
- 3. Breaking: Demonstration and practice. Breaking on command.
- 4. Hand and knee drop: Demonstration and practice, stressing four-point landing and alignment.


Lesson 1: Fundamental Bounce

- 1. Start from a standing position with your head erect and your eyes on the frame pad.
- 2. Swing your arms forward and up in a circular motion.
- 3. Bring your feet together and point your toes downward while in the air.
- 4. Keep your feet about 15 inches apart when landing on the mat.




Lesson 2: Knee Drop

- 1. Start bouncing from a standing position, keeping your eyes on the frame pad.
- 2. Land on your knees, keeping your back straight and your body erect.
- 3. Come back up to an erect position.




Lesson 3: Hand and Knee Drop

- 1. Start bouncing from a standing position, keeping your eves on the frame pad.
- 2. Land on the mat on your hands and knees.
- 3. Push with your hands and come back up to an erect position.




Lesson 4: Back Drop

- 1. Start from a low bounce and land on your back.
- 3. Keep your chin forward on your chest as you land.
- 4. Kick forward and up with your legs to return to an erect position.




Lesson 5: Seat Drop

- Land in a sitting position with your legs parallel to the mat.
- 2. Place your hands on the mat beside your hips.
- 3. Push with your hands to return to an erect position.




Lesson 6: Front Drop

- 1. Start from a low bounce and land on the mat in a prone position.
- 2. Keep your head up and your arms extended forward on the mat.
- 3. Push with your arms to return to an erect position.



Lesson 7: Half Turntable

- 1. Start from the front drop position and push to the left or right with your arms turning your body in the opposite direction.
- 2. Turn your head and shoulders toward the direction that your body is turning.
- 4. Keep your back parallel to the mat and your head up.
- 5. After completing a half turn, land in the front drop position.



Lesson 8: Swivel Hips

- 1. Start with a seat drop.
- 3. Turn your head to the left or right and swing your arms up in the same direction.
- 4. Turn your hips in the same direction as your head and arms, completing a twist.
- 5. Land in the seat drop position.
- 4. Keep your back parallel to the mat and your head up.
- 5. After completing a half turn, land in the front drop position.



Once each of lessons are learned, the student should now be encouraged to design and organize routines, with emphasis on good form. The instructor may judge or grade students and arrange groupings for further instruction accordingly.

To stimulate interest in competition, the game of "Trampoline Horse" can be introduced. Before the game begins, students must count off. To start the game, student number 1 performs a stunt. Student number 2 then mounts the trampoline, performs the same stunt and adds a second stunt. Student number 3 mounts and performs stunts 1 and 2 and adds a third stunt. Thus the series of stunts is continuously lengthened. The first person to miss a stunt in the series assumes the letter "H" and starts a new series with a stunt. If a person misses again, he assumes the letter "O." When a person accumulates "H-O-R-S-E," he or she is eliminated from the game. The last remaining contestant is the winner. Lesson planning from this point on should be facilitated by contacting a certified trampoline instructor.

TRAMPOLINE SAFETY INFORMATION

In trampoline use, as in all active recreational sports, participants can be injured. However, there are steps that can be taken to reduce risk of injury. In this section, primary accident patterns are identified and the responsibilities of supervisors and jumpers in accident prevention are described.

ACCIDENT CLASSIFICATION

Somersaults (flips): Landing on your head or neck, even in the middle of the trampoline mat, increases the risk of a broken back or neck, which can result in paralysis or death. Such events can occur when a jumper makes an error trying to perform a forward or backward somersault (flip). Do not perform somersaults(flips) on this backyard trampoline.

Multiple Jumpers: More than one jumper at a time on the trampoline increases the chance of a jumper becoming injured by losing control of his or her jump. Jumpers may collide with one another, fall off of the trampoline, fall onto or through the springs, or land incorrectly on the mat. The jumper weighing the least is the jumper most likely to be injured.

Mounting and Dismounting (Getting on and off): The trampoline mat is several feet above ground level. Jumping from the trampoline to the ground or any other surface may result in injury. Jumping onto the trampoline from a roof, deck, or other objects also presents a risk of injury. Smaller children may need assistance getting onto or down from the trampoline. Climb carefully onto and off of the trampoline. Do not step onto the springs or the fame pad. Do not grasp the frame pad to pull yourself onto the trampoline.

Striking the Frame or the Springs: Injury may result from hitting the frame or falling through the springs while jumping or getting onto or off of the trampoline. Stay in the center of the mat when jumping. Be sure to keep the frame pad in place to cover the fame. The frame pad is not made or intended to support the weight of trampoline user. Do not step or jump directly on the frame pad.

Loss of Control: Jumpers who lose control of their jumps may land on the mat incorrectly, land on the frame or springs, or fall off of the trampoline. A controlled jump is one where the landing is in the same spot as the takeoff. Before learning a more difficult stunt, you should be able to do one over an over with control. Attempting a stunt beyond present skill levels increases the chance of loss of control. To regain control and stop your jump bend your knees sharply when you land.

Alcohol or Drug Use: The chance of injury increases when a jumper has consumed alcohol or taken drugs. These substances impair a person's reaction time, judgment, and physical coordination.

Encountering Objects: Jumping on a trampoline while other people, pets, or objects are underneath it will increase the chance of getting hurt. Jumping while holding or having an object on the trampoline, particularly one that is sharp or breakable, will increase the chance of injury. Placing a trampoline too close to overhead electrical wires, tree limbs, or other objects can increase the chance of injury.

Poor Maintenance of The Trampoline: Jumpers may be injured if a trampoline is in poor condition. A torn mat, bent frame, broken spring, or missing frame pad, for example, should be replaced before anyone is allowed to jump. Inspect the trampoline before each use.

Weather Conditions: A wet trampoline is too slippery for safe jumping. Gusty or high winds can cause jumpers to lose control. To reduce the chance of injury, use the trampoline only when the weather is good.

Access: To prevent access to the trampoline by unsupervised smaller children, the optional access ladder should always be taken away and stored in a safe place when the trampoline is not in use.

ENCLOSURE SAFETY INFORMATION

NEED FOR TRAMPOLINE ENCLOSURE SAFETY

A trampoline enclosure is a recreational product. The information on this page identifies important safety precautions. The precautions are not all-inclusive, because an enclosure can be used in ways that this manual cannot cover completely.

To prevent pinches and cuts during enclosure use, a frame pad must be installed on the trampoline (see the trampoline manufacturer's instructions). The frame pad must be placed on the trampoline before the enclosure is erected. The frame pad reduces the chance of injury from accidental contact with the springs and frame.

USING THE ENCLOSURE SAFELY

Adult Supervision of Children

Children using a trampoline with a trampoline enclosure must be supervised by adults. Young children must be supervised constantly. Adults must pay particular attention to:

- Things that children bring into the enclosure
- Children's activities inside the enclosure
- Conditions inside the enclosure while children are using it
- The way children enter and exit the enclosure

Additional details of safety enclosure use are described below:

Electrocution Hazard Associated with the Metal Frame of the Trampoline and Enclosure

The trampoline and enclosure frames are made of galvanized steel. They are not grounded and will conduct electricity. For this reason, an electrocution hazard exists. No lights, electric heaters, extension cords, or household electrical appliances are to be permitted on the trampoline or in the enclosure at any time.

Hazards Associated with Entering and Exiting the Trampoline Enclosure

A trampoline enclosure installed on a trampoline is raised off the ground. The height of the enclosure increases the risk of a fall when a jumper is entering or leaving the enclosure. Young children especially may have difficulty entering and exiting the enclosure. To reduce the risk of falling, always help young children to get into and out of the enclosure.

Enter and exit the trampoline enclosure only through the door of the enclosure (the opening in the netting walls). The trampoline mat (bed) and the netting walls of the enclosure are separate pieces. No jumper, especially young children, should ever leave the enclosure by going out between the mat and the netting walls. Trying to get out this way creates a risk of choking from being caught between the trampoline frame and the netting walls.

Darkness increases the chances of a fall when a jumper is entering or leaving the enclosure. Do not use the trampoline unless there is plenty of lighting provided.

Hazards Associated with Animals, Sharp or Breakable Objects

To avoid damage to the trampoline enclosure and the trampoline, do not allow pets or other animals inside of the enclosure. The claws and teeth of animals can damage the netting. Do not jump on the trampoline while holding or wearing a sharp or breakable object.

METHODS OF ACCIDENT PREVENTION

THE SUPERVISOR'S ROLE IN PREVENTING ACCIDENTS

It is the responsibility of the supervisors of trampoline users to provide knowledgeable and mature supervision. They need to know and enforce all of the rules and warnings printed in this manual to minimize the likelihood of accidents and injuries. They also need to inform users of these rules. During periods of time when supervision is unavailable or inadequate, this may require that the trampoline is taken down, placed in a secure area, or otherwise secured against unauthorized use. Another option that may be considered is covering the trampoline with a heavy tarp that can be secured with locks and chains. It is the responsibility of the supervisor to make sure that the placard with trampoline safety instructions is kept posted on the trampoline and that jumpers are informed about these instructions

THE JUMPER'S ROLE IN PREVENTING ACCIDENTS

Education on the part of the user is a must for safety. Users must first learn a low, controlled bounce and then learn the basic landing positions and combinations before proceeding to intermediate skills. Jumpers must understand why they have to master "control" before they can start thinking about other moves. Understanding the proper progression of skills in jumping on a trampoline must be the first lesson. Review this manual to learn about the basic techniques for using the trampoline. Follow the rules on the placard with trampoline safety instructions (see step [27] in assembly instructions). For further information or additional instructional materials, contact a certified trampoline instructor.

TRAMPOLINE SAFETY INSTRUCTIONS

For the Supervisor

Read the instructions before using the trampoline. Enforce all of the safety rules. Become familiar with the information in this manual so you can help new users learn basic jumps and all users follow trampoline safety. All trampoline users must have mature, knowledgeable supervision, regardless of their skill or age. This trampoline is not recommended for use by children under 6 years of age. Inspect the trampoline before using it. Do not use the trampoline without the frame pad securely in place to cover the frame. Do not use the trampoline in wet or windy conditions. A worn or damaged mat, spring, or frame piece should be replaced immediately.

Jumping

Learn fundamental jumps and body positions thoroughly before trying more advanced skills. Know your own limits in performing each of the trampoline jumps. Study this manual to learn how to do basic jumps. Stop your bounce by flexing your knees as your feet come in contact with the trampoline mat. Learn this skill before attempting any others.

HAZARDS ASSOCIATED WITH HIGH WINDS

A trampoline with an enclosure can be moved or blown over by high winds. Anyone in its path, or inside of the enclosure, may be injured if this happens. If you expect high winds, take down the enclosure netting and stake the trampoline frame to the ground, or move the trampoline and enclosure to a sheltered location. The only sure method to protect your trampoline and the surrounding environment during high winds is to completely disassemble the unit and store indoors. Damage due to wind or weather is not warranted.

LIMITED WARRANTY

Skywalker Holdings, LLC warrants its products to be free from defects in material and workmanship under normal use and service conditions. The steel frame is warranted for three (3) years after the date of purchase. All other parts are warranted for one (1) year after the date of purchase. Warranty coverage extends only to the original retail purchaser from the date of original purchase. This warranty is only valid concerning products used for residential use. Products used for commercial use, such as schools and daycares, will not be covered.

WHAT IS NOT COVERED?



Weather Damage: The warranty does not cover damage due to the effects or acts of nature, such as earthquakes, wind, hurricanes, tornadoes, lightening, rain, fire, snow, excessive heat and cold conditions and/or sun damage. During the winter months the trampoline soft materials will need to be removed and stored in a dry place out of the snow. If left unprotected in the winter months, some components such as springs, jump mat, spring pad and enclosure, may become damaged, voiding this warranty.



Fading and Rust: Our products are fully galvanized. Skywalker does not warranty against rust or corrosion. Some areas may have higher air salt content, higher humidity, heavier rain and heavier snow. Skywalker does not warranty against fading. We suggests customers use a UV protectant on the frame pad to extend the life of the product.



Loss or damage to Product Due to: Loss or damage caused during shipping or caused by abuse, misuse, improper or abnormal usage or authorized repair are not covered by this warranty and may also void the warranty.



Unauthorized Replacement Parts: The warranty will become void if any defects or damages are associated with the use of unauthorized replacement parts. All replacement parts must be obtained from an authorized agent.



Assembly Service: The warranty does not cover acts or omissions provided by a third-party assembly service. It is the customer's responsibility to check all boxes and confirm all components are included and in their proper condition before installation occurs.

INSPECTION AND REPLACEMENT PARTS:

- 1. Your trampoline SHOULD BE INSPECTED UPON UNPACKING AND SET UP AND THEREAFTER ON A REGULAR BASIS. WORN, DAMAGED OR BROKEN PARTS SHOULD BE REPLACED IMMEDIATELY AND BEFORE USE.
- 2. Call the Skywalker Trampoline Customer Service Department at 1-866-603-5867 to file a warranty claim. Be prepared to provide the following information: name, shipping address, a copy of your original sales receipt, a brief description of the problem and cause, trampoline model number and serial number. We may also ask for photos of the damaged/defective parts.
- 3. After reviewing your information and examining your photos, Skywalker Trampolines will make the determination if this part is covered by this warranty. If so, a replacement part will be sent to you.

NOTE: All requested information must be provided in order to review your warranty claim.

To order replacement parts for your product please visit www.skywalkertrampolines.com

Skywalker Holdings, LLC, PO Box 574, Brigham City, UT 84302 USA. Printed in China © 2017 Skywalker Holdings, LLC

NOTE: SKYWALKER HOLDINGS, LLC IS NOT RESPONSIBLE OR LIABLE FOR INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE PRODUCT OR OTHER DAMAGES WITH RESPECT TO ANY ECONOMIC LOSS, LOSS OF PROPERTY, LOSS OF REVENUE OR PROFITS, LOSS OF ENJOYMENT OR USE, COST OF REMOVAL, INSTALLATION OR OTHER CONSEQUENTIAL DAMAGES. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES. ACCORDINGLY, THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

THE WARRANTY EXTENDED HEREUNDER IS IN LIEU OF ALL OTHER WARRANTIES AND ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS LIMITED IN ITS SCOPE AND DURATION TO THE TERMS SET FORTH HEREIN. SOME STATES OR COUNTRIES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS. ACCORDINGLY, THE ABOVE LIMITATION MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS. YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY STATE TO STATE OR COUNTRY TO COUNTRY.

THIS WARRANTY IS VALID ONLY IN THE COUNTRY THE PRODUCT WAS PURCHASED.